

BIBLIOGRAFÍA

BARRERAS OCCLUSIVAS DE TITANIO PERSONALIZADAS PARA REGENERACIÓN ÓSEA.
CASO CLINICO
XVI Congreso Sociedad Española de Cirugía Bucal. Palma de Mallorca.

1. Alfatawei R, Naudi KB, Lappin D, Barbenel J, Di Silvio L, Hunter K, et al: The use of TriCalcium Phosphate (TCP) and stem cells for the regeneration of osteoperiosteal critical-size mandibular bony defects, an in vitro and preclinical study. *J Craniomaxillofac Surg* 42: 863e869, 2014
2. Baum T, Dutsch Y, Muller D, Monetti R, Sidorenko I, Rath C, et al: Reproducibility of trabecular bone structure measurements of the distal radius at 1.5 and 3.0 T magnetic resonance imaging. *J Comput Assist Tomogr* 36: 623e626, 2012
3. Erdogan O, Ustun Y, Tatli U, Damilar I, Daglioglu K: A pig model for the histomorphometric evaluation of hard tissue around dental implants. *J Oral Implantol* 39: 551e557, 2013
4. Schlegel KA, Lang FJ, Donath K, Kulow JT, Wiltfang J: The monocortical critical size bone defect as an alternative experimental model in testing bone substitute materials. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 102: 7e13, 2006
5. Hyun-Suk Cha, Ji-Wan Kim, Jong-Hyun Hwang and Kang-Min Ahn. Frequency of bone graft in implant surgery. *Maxillofacial Plastic and Reconstructive Surgery* (2016) 38:19.
6. Anitua E, Andia I. Un nuevo enfoque en la regeneración ósea. PRGF. 2000. Cap. 2 36-46.
7. Guerrero-Fuente U, Cabello-Plaza E. Ingeniería titular en regeneraciones mediante barreras oclusivas GD (Marzo,2018). 300.
8. Thor, A., Rasmusson, L., Wennerberg, A., Thomsen, P., Hirsh, J.M., Nilsson, B. and Hong, J. The role of whole blood in trombin generation in contact with various titanium surfaces. *Biomaterials* 28, 966, 2007.
9. A. P. F. Bassi, R. Pio, L. P. Faverani, D. Canestraro, F. G. K. Fon- taño: Levantamiento del seno maxilar sin injerto y colocación simultánea del implante: un estudio clínico prospectivo con un seguimiento de 51 meses. *Int. J. Oral Maxillofac. Surg.* 2015; 44: 902–907. # 2015 International Association of Oral and Maxillofacial Surgeons.
10. Monje A., Monje F., Hernández-Alfaro F., Lau K. Horizontal Bone Augmentation Using Autogenous Block Grafts and Particulate Xenograft in the Severe Atrophic Maxillary Anterior Ridges: A Cone- Beam Computerized Tomography Case Series. *Journal of Oral Implantology* · April 2014.
11. Kathryn C. Gersh; Chandrasekaran Nagaswami; John W. Weisel. Fibrin network structure and clot mechanical properties are altered by incorporation of erythrocytes. *Thromb Haemost*. 2009 December; 102(6): 1169–1175.
12. Kaneko, T., Masuda, I., Hori, N., et al. New bone formation in non- grafted sinus lifting with space-maintaining management: a novel technique using a titanium bone fixation device. (2012) *J Oral Maxillofac Surg* 70(3):e217-224.

13. Schweikert, M., Botticelli, D., de Oliveira, J.A., et al. Use of a titanium device in lateral sinus floor elevation: an experimental study in monkeys. (2012) Clin Oral Implants Res 23(1):100-105.
14. Atef, M., Hakam, M.M., Elfaramawy, M.I., et al. Nongrafted sinus floor elevation with a space-maintaining titanium mesh: Case-series study on four patients. (2013) Clin Implant Dent Relat Res 16(6): 893-903.